



外球面轴承

insert bearing





NA200 M-F

轴径 (d)

(min.) | (mm)

轴承型号

外形尺寸 (mm)

D

d1

Bi

L

n

m

Be

W

止动螺钉规格
(mm)
(UNF)



载荷 (Kgf)

Cr


Cor

重量

3/4	20	NA 204-12 M-F NA 204 M-F	47,0	29,0	34,0	43,5	17,0	26,5	16,0	33,3	M6x1 1/4-28	1310	680	0,20
7/8 15/16 1	25	NA 205-14 M-F NA 205-15 M-F NA 205 M-F NA 205-16 M-F	52,0	34,0	34,8	44,3	17,4	26,9	17,0	38,1	M6x1 1/4-28	1430	800	0,30
1 1-1/8 1-3/16 1-1/4	25 30	NA 206-250 M-F NA 206-16 M-F NA 206-18 M-F NA 206 M-F NA 206-19 M-F NA 206-20 M-F	62,0	40,5	36,4	48,3	18,2	30,1	19,0	44,5	M8x1 5/16-24	2000	1140	0,40
1-1/4 1-5/16 1-3/8 1-7/16	30 35	NA 207-300 M-F NA 207-20 M-F NA 207-21 M-F NA 207-22 M-F NA 207 M-F NA 207-23 M-F	72,0	48,0	37,6	51,1	18,8	32,3	20,0	55,6	M8x1 5/16-24	2640	1550	0,60
1-7/16 1-1/2 1-9/16	35 40	NA 208-350 M-F NA 208-23 M-F NA 208-24 M-F NA 208-25 M-F NA 208 M-FC	80,0	53,0	42,8	56,3	21,4	34,9	21,0	60,3	M8x1 5/16-24	2990	1860	0,80
1-1/2 1-9/16 1-5/8 1-11/16 1-3/4	40 45	NA 209-24 M-F NA 209-25 M-F NA 209-400 M-F NA 209-26 M-F NA 209-27 M-F NA 209-28 M-F NA 209 M-F	85,0	57,0	42,8	56,3	21,4	34,9	22,0	63,5	M8x1 5/16-24	3350	2120	0,90
1-11/16 1-3/4 1-7/8 1-15/16 2	45 50	NA 210-27 M-F NA 210-28 M-F NA 210-450 M-F NA 210-30 M-F NA 210-31 M-F NA 210 M-F NA 210-32 M-F	90,0	62,0	49,2	62,7	24,6	38,1	23,0	69,9	M8x1 5/16-24	3600	2370	1,05
1-15/16 2 2-3/16	50 55	NA 211-31 M-F NA 211-500 M-F NA 211-32 M-F NA 211 M-F NA 211-35 M-F	100,0	69,0	55,4	71,3	27,7	43,6	25,0	76,2	M10x1,25 3/8-24	4400	2980	1,45



R3 SEAL



F SEAL

NA200 M-F

轴径 (d)

(min.) | (mm)

轴承型号

外形尺寸 (mm)

D

d1

Bi

L

n

m

Be

W

止动螺钉规格
(mm)
(UNF)

载荷 (Kgf)

Cr

Cor

重量

2-3/16 2-1/4	55	NA 212-550 M-F NA 212-35 M-F NA 212-36 M-F NA 212 M-F NA 212-38 M-F NA 212-39 M-F	110,0	75,0	61,8	77,7	30,9	46,8	27,0	84,0	M10x1,25 3/8-24	5350	3350	1,90
	60													
2-3/8 2-7/16	60	NA 213-600 M-F NA 213-40 M-F NA 213 M-F	120,0	82,0	68,2	85,7	34,1	51,6	28,0	86,0	M10x1,25 3/8-24	5850	4080	2,40
2-1/2	65													
2-7/16 2-1/2 2-5/8 2-11/16 2-3/4	60	NA 214-600 M-F NA 214-39 M-F NA 214-40 M-F NA 214-650 M-F NA 214-42 M-F NA 214-43 M-F NA 214-44 M-F NA 214 M-F	125,0	86,5	68,2	85,7	34,1	51,6	30,0	96,8	M10x1,25 3/8-24	6350	4590	2,65
	65													
	70													
	75													
2-3/4 2-15/16	65	NA 215-650 M-F NA 215-44 M-F NA 215-700 M-F NA 215-47 M-F NA 215 M-F	130,0	91,5	74,6	92,1	37,3	54,8	30,0	102,0	M10x1,25 3/8-24	6750	5050	2,80
	70													
2-15/16	75	NA 215-47 M-F NA 215 M-F	130,0	91,5	49,6	67,1	21,5	45,6	28,0	102,0	M10x1,25 3/8-24	6750	5050	2,65
3	80													
3-7/16	75	NA 216-47 M-F NA 216-750 M-F NA 216-48 M-F NA 216 M-F	140,0	98,0	53,2	73,8	23,4	50,4	33,0	110,0	M12x1,25 7/16-20	7400	5530	3,40
	80													
3-7/16 3-1/2	80	NA 217-800 M-F NA 217-55 M-F NA 217 M-F	150,0	105,0	65,7	85,7	34,1	51,6	35,0	119,0	M12x1,25 7/16-20	8500	6510	3,70
	85													
3-7/16 3-1/2	90	NA 218-55 M-F NA 218-56 M-F NA 218 M-F	160,0	111,0	52,0	69,5	23,0	46,5	32,0	120,0	M12x1,25 7/16-20	7600	7300	3,70
	100													
	100	NA 220 M-F	180,0	125,5	57,5	75,0	25,5	49,5	36,0	132,0	M12x1,25	11000	8000	5,30
	120	NA 224 M-F	215,0	145,0	63,5	85,1	28,5	56,6	42,0	152,0	M12x1,25	12800	11600	6,90